



# Atelier

## SlimmKer



**50 x 100 RECT cm** **± 4,3 mm**

*19,69" x 39,37" RECT*

Nácar	SK 50560	424
Camel	SK 50570	424
Brandy	SK 50580	424
Marengo	SK 50590	424

## SlimmKer - Floor

**50 x 100 RECT cm** **± 4,3 + F\* mm**

*19,69" x 39,37" RECT*

Nácar	SKF 50560	429
Camel	SKF 50570	429
Brandy	SKF 50580	429
Marengo	SKF 50590	429



\* El espesor de las referencias SKF (SlimmKer-Floor) es el equivalente a la suma del producto SK más la aplicación Floor.

\* The thickness of SKF (SlimmKer-Floor) products is equivalent to the sum of the thickness of the SK product plus that of the Floor backing material.



# Atelier



**60 x 60 CL cm**      **± 10 mm**  
*23,62" x 23,62" CL*

Nácar	P-6560 CL	<b>198</b>
Camel	P-6570 CL	<b>198</b>
Brandy	P-6590 CL	<b>200</b>
Marengo	P-6580 CL	<b>199</b>





# Atelier

## Piezas especiales / Special pieces

**SlimmKer**



**9,5 x 100 cm**



**50 x 100 cm**



**50 x 100 cm**

Nácar	RODSK-50560	718	PTISKF-50560	721	ATISKF-50560	722
Camel	RODSK-50570	718	PTISKF-50570	721	ATISKF-50570	722
Brandy	RODSK-50580	718	PTISKF-50580	721	ATISKF-50580	722
Marengo	RODSK-50590	718	PTISKF-50590	721	ATISKF-50590	722




# Atelier


## Piezas especiales / Special pieces




**8 x 60 cm**



**60 x 60 cm**



**60 x 60 cm**



**60 x 60 cm**

Nácar	ROD-6560 CL	621	PR-6560 CL	622	PT-6560 CL	623	AT-6560 CL	624
Camel	ROD-6570 CL	621	PR-6570 CL	622	PT-6570 CL	623	AT-6570 CL	624
Brandy	ROD-6590 CL	621	PR-6590 CL	622	PT-6590 CL	623	AT-6590 CL	624
Marengo	ROD-6580 CL	621	PR-6580 CL	622	PT-6580 CL	623	AT-6580 CL	624



# Atelier

Características técnicas según normas / Technical characteristics  
 Caractéristiques techniques selon les normes / Vorschriftenmäßige technische Eigenschaften / Технические характеристики согласно стандартам

ISO 13006:1998 / GRUPO Bla UNE - EN 14411:2003 / GRUPO Bla	Características técnicas según normas: Technical characteristics:	Norma de referencia Reference standard	Valor requerido Value required	Valor medio obtenido Mean value
<b>Características dimensionales</b> Dimensional characteristics  Caractéristiques dimensionnelles Abmessungen Размерные характеристики	<b>Longitud y anchura</b> Length and width - Longueur et largeur - Länge und Breite - Длина и ширина	EN-ISO 10545-2	± 0,5 %	± 0,2 %
	<b>Grosor</b> Thickness - Épaisseur - Dicke - Толщина	EN-ISO 10545-2	± 5 %	± 3 %
	<b>Rectitud de los lados</b> Warpages of edges - Rectitude des côtés - Kantengeradheit - Выровненность бортов	EN-ISO 10545-2	± 0,5 %	± 0,2 %
	<b>Ortogonalidad</b> Wedging - Orthogonalité - Rechtwinkligkeit - Прямоугольность	EN-ISO 10545-2	± 0,6 %	± 0,2 %
	<b>Planaridad</b> Flatness - Planéité - Ebenflächigkeit - Плоскостность	EN-ISO 10545-2	± 0,5 %	± 0,5 %
<b>Características físicas</b> Physical characteristics  Caractéristiques physiques Physikalische Eigenschaften Физические характеристики	<b>Absorción al agua</b> Water adsorption - Absorption d'eau - Wasseraufnahme - Влагопоглощение	EN-ISO 10545-3	≤ 0,5 %	≤ 0,5 %
	<b>Fuerza de rotura</b> Breaking strength - Force de rupture - Bruchkraft - Сила разрыва	EN-ISO 10545-4	≥ 1.300 N	≥ 3.000 N
	<b>Resistencia a la flexión</b> Bending strength - Résistance à la flexion - Biegefestigkeit - Сопротивление изгибу	EN-ISO 10545-4	≥ 35 N / mm <sup>2</sup>	≥ 40 N / mm <sup>2</sup>
	<b>Resistencia a la abrasión</b> Resistance to abrasion utility - Résistance à l'abrasion - Abriebfestigkeit - Сопротивление истиранию	EN-ISO 10545-7	<b>Indicada por el fabricante</b> As indicated by manufacturer Indiquée par le fabricant Herstellerangaben Указанное производителем	3 - 5
	<b>Dilatación Térmica lineal</b> Lineal thermal expansion - Dilatation thermique linéaire Lineare Wärmedehnung - Линейное тепловое расширение	EN-ISO 10545-8	<b>Método disponible</b> Method available Méthode disponible Verfügbares Verfahren Имеющаяся методика	≤ 9 x 10 <sup>-6</sup> K <sup>-1</sup>
	<b>Resistencia al choque térmico</b> Thermal shock resistance - Résistance au choc thermique - Beständigkeit gegen Temperaturschwankungen - Устойчивость к резким перепадам температуры	EN-ISO 10545-9	<b>Método disponible</b> Method available Méthode disponible Verfügbares Verfahren Имеющаяся методика	<b>Resiste</b> Resist - Résiste Beständig - Да
	<b>Dureza Mohs</b> Mohs surface hardness - Dureté Mohs - Härte auf der Mohs - Твердость по Моосу	EN 101	-	9
<b>Resistencia a la helada</b> Frost resistance - Résistance au gel - Frostbeständigkeit - Морозоустойчивость	EN-ISO 10545-12	<b>Exigida</b> - Required - Requis Erfordert - Требуемая	<b>Resiste</b> Resist - Résiste Beständig - Да	
<b>Características químicas</b> Chemical characteristics  Caractéristiques chimiques Chemische Eigenschaften Химические характеристики	<b>Resistencia a productos domésticos de limpieza y aditivos de piscina</b> Resistance to household cleaning products and swimming pool additives Résistance aux produits ménagers de nettoyage et aux additifs pour piscines Beständigkeit gegen Haushaltsreiniger und Schwimmbadzusätze Устойчивость к воздействию бытовых чистящих средств и добавок для бассейна	EN-ISO 10545-13	<b>Mín. GB</b> - GB min. Min. GB - Min. GB мин. GB	<b>Resiste (GA)</b> - Resist (GA) - Résiste (GA) -Beständig (GA) - Да (GA)
	<b>Resistencia a ácidos y bases en baja concentración</b> Resistance to acids and bases in low concentration Résistance aux acides et bases à faibles concentrations Beständigkeit gegen Säuren und Laugen in geringer Konzentration Устойчивость к воздействию кислот и щелочей низкой концентрации	EN-ISO 10545-13	<b>Indicada por el fabricante</b> As indicated by manufacturer Indiquée par le fabricant Herstellerangaben Указанное производителем	<b>Resiste (GLA)</b> - Resist (GLA) - Résiste (GLA) -Beständig (GLA) - Да (GLA)
	<b>Resistencia a las manchas</b> Resistance to staining - Résistance aux taches - Fleckenbeständigkeit - Сопротивление пятнообразованию	EN-ISO 10545-14	<b>Mín. Clase 3</b> - Class 3 min. Min. Klasse 3 - Min. Klasse 3 мин. Класс 3	<b>Clase 5</b> - Class 5 Classe 5 - Klasse 5 Класс 5

Consultar formato y acabado / Check formats and finishes. / Consulter format et finition. / Formate und Ausführung onsultieren. / Проконсультируйтесь по поводу формата и отделки.

Estas características son aplicables únicamente al ATELIER de espesor tradicional. - These characteristics apply exclusively to the standard thickness ATELIER model.  
 Ces caractéristiques ne sont valables que pour le modèle ATELIER d'épaisseur traditionnelle. - Diese Merkmale gelten ausschließlich für das Model ATELIER mit herkömmlicher Dicke.  
 Эти характеристики применимы исключительно к модели ATELIER со стандартной толщиной

**e-Ceramica**

**Contact us for wholesale prices or cooperation:**

**Zoran Milić**

**E-mail: info@e-ceramica.com**

**Mobile : + 386 41 684 696**

**Telephone : + 386 2 780 54 90**

**Fax : + 386 2 779 76 61**

*Merilly d.o.o. ; Vodnikova ulica 2 ; Si 2250 Ptuj ; Slovenia ; EU*

**Web : · Americas**

[Ceramic tiles in Argentina](#)  
[Ceramic tiles in Bahamas](#)  
[Ceramic tiles in Bolivia](#)  
[Ceramic tiles in Canada](#)  
[Ceramic tiles in Chile](#)  
[Ceramic tiles in Colombia](#)  
[Ceramic tiles in Costa Rica](#)  
[Ceramic tiles in Cuba](#)  
[Ceramic tiles in Ecuador](#)  
[Ceramic tiles in El Salvador](#)  
[Ceramic tiles in Guatemala](#)  
[Ceramic tiles in Honduras](#)  
[Ceramic tiles in Jamaica](#)  
[Ceramic tiles in México](#)  
[Ceramic tiles in Nicaragua](#)  
[Ceramic tiles in Panamá](#)  
[Ceramic tiles in Paraguay](#)  
[Ceramic tiles in Perú](#)  
[Ceramics in Re. Dominicana](#)  
[Ceramics in Trin. & Tobago](#)  
[Ceramic tiles in Uruguay](#)  
[Ceramic tiles in USA](#)  
[Ceramic tiles in Venezuela](#)

**· Europe**

[Ceramic tiles in BIH](#)  
[Ceramic tiles in Crna Gora](#)  
[Ceramic tiles in España](#)  
[Ceramic tiles in France](#)  
[Ceramic tiles in Germany](#)  
[Ceramic tiles in Hrvatska](#)  
[Ceramic tiles in Ireland](#)  
[Ceramic tiles in Kosove](#)  
[Ceramic tiles in Liechtenstein](#)  
[Ceramic tiles in Magyarország](#)  
[Ceramic tiles in Македонија](#)  
[Ceramic tiles in Maqedoni](#)  
[Ceramic tiles in Malta](#)  
[Ceramic tiles in Österreich](#)  
[Ceramic tiles in Russia](#)  
[Ceramic tiles in Schweiz](#)  
[Ceramic tiles in Suisse](#)  
[Ceramic tiles in Shqiperi](#)  
[Ceramic tiles in Slovenija](#)  
[Ceramic tiles in Србија](#)  
[Ceramics in United Kingdom](#)

**· Asia**

[Ceramic tiles in India](#)  
[Ceramic tiles in Pakistan](#)  
[Ceramic tiles in Philippines](#)  
[Ceramic tiles in Singapore](#)  
[Ceramic tiles in Turkiye](#)

**· Africa & Australia**

[Ceramic tiles in Australia](#)  
[Ceramic tiles in Cameroon](#)  
[Ceramic tiles in Ghana](#)  
[Ceramics in Guinea Ecuatorial](#)  
[Ceramic tiles in Swaziland](#)  
[Ceramic tiles in New Zealand](#)  
[Ceramic tiles in Nigeria](#)