



Magma

SlimmKer



100 x 130 RECT cm **ƒ 5,7 mm**
39,37" x 51,18" RECT



100 x 100 RECT cm **ƒ 5,7 mm**
39,37" x 39,37" RECT



50 x 100 RECT cm **ƒ 4,3 mm**
19,69" x 39,37" RECT

Beige	SK 130140	417	SK 100140	416	SK 50140	424
Moka	SK 130160	417	SK 100160	416	SK 50160	424
Grey	SK 130150	417	SK 100150	416	SK 50150	424

SlimmKer - Floor

100 x 130 RECT cm **ƒ 5,7 +F* mm**
39,37" x 51,18" RECT

100 x 100 RECT cm **ƒ 5,7 +F* mm**
39,37" x 39,37" RECT

50 x 100 RECT cm **ƒ 4,3 +F* mm**
19,69" x 39,37" RECT

Beige	SK 130140	426	SKF 100140	431	SKF 50140	429
Moka	SK 130160	426	SKF 100160	431	SKF 50160	429
Grey	SK 130150	426	SKF 100150	431	SKF 50150	429



* El espesor de las referencias SKF (SlimmKer-Floor) es el equivalente a la suma del producto SK más la aplicación Floor.

* The thickness of SFK (SlimmKer-Floor) products is equivalent to the sum of the thickness of the SK product plus that of the Floor backing material.



Magma

SlimmKer

Pulido / Polished



100 x 130 RECT cm **ƒ 5,7 mm**
39,37" x 51,18" RECT



100 x 100 RECT cm **ƒ 5,7 mm**
39,37" x 39,37" RECT



50 x 100 RECT cm **ƒ 4,3 mm**
19,69" x 39,37" RECT



25 x 49 cm
9,84" x 19,29"

Beige	SK 130170	422	SK 100170	423	SK 50170	425	SK 50174	448
Moka	SK 130190	422	SK 100190	423	SK 50190	425	SK 50194	448
Grey	SK 130180	422	SK 100180	423	SK 50180	425	SK 50184	448

SlimmKer - Floor

100 x 130 RECT cm **ƒ 5,7 +F* mm**
39,37" x 51,18" RECT

100 x 100 RECT cm **ƒ 5,7 +F* mm**
39,37" x 39,37" RECT

50 x 100 RECT cm **ƒ 4,3 +F* mm**
19,69" x 39,37" RECT

Beige	SK 130170	432	SKF 100170	430	SKF 50170	433
Moka	SK 130190	432	SKF 100190	430	SKF 50190	433
Grey	SK 130180	432	SKF 100180	430	SKF 50180	433



* El espesor de las referencias SKF (SlimmKer-Floor) es el equivalente a la suma del producto SK más la aplicación Floor.
* The thickness of SFK (SlimmKer-Floor) products is equivalent to the sum of the thickness of the SK product plus that of the Floor backing material.



Magma



100 x 100 CL cm **ƒ 12 mm**
39,37" x 39,37" CL



50 x 100 CL cm **ƒ 10 mm**
19,69" x 39,37" CL



60 x 60 CL cm **ƒ 10 mm**
23,62" x 23,62" CL



30 x 60 CL cm **ƒ 10 mm**
11,81" x 23,62" CL

Beige	P-100140 CL	408	P-50140 CL	442	P-68540 CL	178	P-3480 CL	400
Moka	P-100160 CL	409	P-50160 CL	443	P-68560 CL	179	P-3500 CL	401
Grey	P-100150 CL	409	P-50150 CL	443	P-68550 CL	179	P-3490 CL	401





Magma

Antideslizante / Non slip tiles



100 x 100 CL cm **ƒ 12 mm**
39,37" x 39,37" CL



50 x 100 CL cm **ƒ 10 mm**
19,69" x 39,37" CL



60 x 60 CL cm **ƒ 10 mm**
23,62" x 23,62" CL



30 x 60 CL cm **ƒ 10 mm**
11,81" x 23,62" CL

Beige	P-100140 AD CL	408	P-50140 AD CL	442	P-68540 AD CL	178	P-3480 AD CL	400
Moka	P-100160 AD CL	409	P-50160 AD CL	443	P-68560 AD CL	179	P-3500 AD CL	401
Grey	P-100150 AD CL	409	P-50150 AD CL	443	P-68550 AD CL	179	P-3490 AD CL	401





Magma

Pulido / Polished



100 x 100 CL cm **ƒ 12 mm**
39,37" x 39,37" CL



50 x 100 CL cm **ƒ 10 mm**
19,69" x 39,37" CL

Beige	P-100170 CL	412	P-50170 CL	446
Moka	P-100190 CL	413	P-50190 CL	447
Grey	P-100180 CL	413	P-50180 CL	447





Magma

Piezas especiales / Special pieces

SlimmKer



9,5 x 100 cm

Beige	RODSK-50140	718
Moka	RODSK-50160	718
Grey	RODSK-50150	718

9,5 x 100 cm

Beige	RODSK-50140	718
Moka	RODSK-50160	718
Grey	RODSK-50150	718

9,5 x 100 cm

Beige	RODSK-50140	718
Moka	RODSK-50160	718
Grey	RODSK-50150	718



100 x 130 cm

PTISKF-130140	732
PTISKF-130160	732
PTISKF-130150	732

100 x 100 cm

PTISKF-100140	719
PTISKF-100160	719
PTISKF-100150	719

50 x 100 cm

PTISKF-50140	721
PTISKF-50160	721
PTISKF-50150	721



100 x 130 cm

ATISKF-130140	733
ATISKF-130160	733
ATISKF-130150	733

100 x 100 cm

ATISKF-100140	720
ATISKF-100160	720
ATISKF-100150	720

50 x 100 cm

ATISKF-50140	722
ATISKF-50160	722
ATISKF-50150	722

SlimmKer

Pulido / Polished



9,5 x 100 cm

Beige	RODSK-50170	718
Moka	RODSK-50190	718
Grey	RODSK-50180	718

9,5 x 100 cm

Beige	RODSK-50170	718
Moka	RODSK-50190	718
Grey	RODSK-50180	718

9,5 x 100 cm

Beige	RODSK-50170	718
Moka	RODSK-50190	718
Grey	RODSK-50180	718



100 x 130 cm

PTISKF-130170	732
PTISKF-130190	732
PTISKF-130180	732

100 x 100 cm

PTISKF-100170	719
PTISKF-100190	719
PTISKF-100180	719

50 x 100 cm

PTISKF-50170	721
PTISKF-50190	721
PTISKF-50180	721



100 x 130 cm

ATISKF-130170	733
ATISKF-130190	733
ATISKF-130180	733

100 x 100 cm

ATISKF-100170	720
ATISKF-100190	720
ATISKF-100180	720

50 x 100 cm

ATISKF-50170	722
ATISKF-50190	722
ATISKF-50180	722



Magma

Piezas especiales / Special pieces

	9,5 x 100 cm	100 x 100 cm	100 x 100 cm	100 x 100 cm
Beige	ROD-50140 CL 734	PR-100140 CL 704	PTI-100140 CL 705	ATI-100140 CL 706
Moka	ROD-50160 CL 734	PR-100160 CL 704	PTI-100160 CL 705	ATI-100160 CL 706
Grey	ROD-50150 CL 734	PR-100150 CL 704	PTI-100150 CL 705	ATI-100150 CL 706
	9,5 x 100 cm	50 x 100 cm	50 x 100 cm	50 x 100 cm
Beige	ROD-50140 CL 734	PR-50140 CL 618	PTI-50140 CL 619	ATI-50140 CL 620
Moka	ROD-50160 CL 734	PR-50160 CL 618	PTI-50160 CL 619	ATI-50160 CL 620
Grey	ROD-50150 CL 734	PR-50150 CL 618	PTI-50150 CL 619	ATI-50150 CL 620
	8 x 60 cm	60 x 60 cm	60 x 60 cm	60 x 60 cm
Beige	ROD-68540 CL 621	PR-68540 CL 622	PTI-68540 CL 623	ATI-68540 CL 624
Moka	ROD-68560 CL 621	PR-68560 CL 622	PTI-68560 CL 623	ATI-68560 CL 624
Grey	ROD-68550 CL 621	PR-68550 CL 622	PTI-68550 CL 623	ATI-68550 CL 624
	8 x 60 cm	30 x 60 cm	30 x 60 cm	30 x 60 cm
Beige	ROD-68540 CL 621	PR-3480 CL 700	PTI-3480 CL 701	ATI-3480 CL 702
Moka	ROD-68560 CL 621	PR-3500 CL 700	PTI-3500 CL 701	ATI-3500 CL 702
Grey	ROD-68550 CL 621	PR-3490 CL 700	PTI-3490 CL 701	ATI-3490 CL 702





Antideslizante / Non slip tiles

	9,5 x 100 cm	100 x 100 cm	100 x 100 cm	100 x 100 cm
Beige	ROD-50140 CL 734	PR-100140 AD CL 704	PTI-100140 AD CL 705	ATI-100140 AD CL 706
Moka	ROD-50160 CL 734	PR-100160 AD CL 704	PTI-100160 AD CL 705	ATI-100160 AD CL 706
Grey	ROD-50150 CL 734	PR-100150 AD CL 704	PTI-100150 AD CL 705	ATI-100150 AD CL 706
	9,5 x 100 cm	50 x 100 cm	50 x 100 cm	50 x 100 cm
Beige	ROD-50140 CL 734	PR-50140 AD CL 618	PTI-50140 AD CL 619	ATI-50140 AD CL 620
Moka	ROD-50160 CL 734	PR-50160 AD CL 618	PTI-50160 AD CL 619	ATI-50160 AD CL 620
Grey	ROD-50150 CL 734	PR-50150 AD CL 618	PTI-50150 AD CL 619	ATI-50150 AD CL 620
	8 x 60 cm	60 x 60 cm	60 x 60 cm	60 x 60 cm
Beige	ROD-68540 CL 621	PR-68540 AD CL 622	PTI-68540 AD CL 623	ATI-68540 AD CL 624
Moka	ROD-68560 CL 621	PR-68560 AD CL 622	PTI-68560 AD CL 623	ATI-68560 AD CL 624
Grey	ROD-68550 CL 621	PR-68550 AD CL 622	PTI-68550 AD CL 623	ATI-68550 AD CL 624
	8 x 60 cm	30 x 60 cm	30 x 60 cm	30 x 60 cm
Beige	ROD-68540 CL 621	PR-3480 AD CL 700	PTI-3480 AD CL 701	ATI-3480 AD CL 702
Moka	ROD-68560 CL 621	PR-3500 AD CL 700	PTI-3500 AD CL 701	ATI-3500 AD CL 702
Grey	ROD-68550 CL 621	PR-3490 AD CL 700	PTI-3490 AD CL 701	ATI-3490 AD CL 702



Magma

Piezas especiales / Special pieces Pulido / Polished

				
	9,5 x 100 cm	100 x 100 cm	100 x 100 cm	100 x 100 cm
Beige	ROD-50170 CL 736	PR-100170 CL 704	PTI-100170 CL 705	ATI-100170 CL 706
Moka	ROD-50190 CL 736	PR-100190 CL 704	PTI-100190 CL 705	ATI-100190 CL 706
Grey	ROD-50180 CL 736	PR-100180 CL 704	PTI-100180 CL 705	ATI-100180 CL 706
	9,5 x 100 cm	50 x 100 cm	50 x 100 cm	50 x 100 cm
Beige	ROD-50170 CL 736	PR-50170 CL 618	PTI-50170 CL 619	ATI-50170 CL 620
Moka	ROD-50190 CL 736	PR-50190 CL 618	PTI-50190 CL 619	ATI-50190 CL 620
Grey	ROD-50180 CL 736	PR-50180 CL 618	PTI-50180 CL 619	ATI-50180 CL 620



Magma

Características técnicas según normas / Technical characteristics

Caractéristiques techniques selon les normes / Vorschriftenmäßige technische Eigenschaften / Технические характеристики согласно стандартам

ISO 13006:1998 / GRUPO Bla UNE - EN 14411:2003 / GRUPO Bla	Características técnicas según normas: Technical characteristics:	Norma de referencia Reference standard	Valor requerido Value required	Valor medio obtenido Mean value
Características dimensionales Dimensional characteristics Caractéristiques dimensionnelles Abmessungen Размерные характеристики	Longitud y anchura Length and width - Longueur et largeur - Länge und Breite - Длина и ширина	EN-ISO 10545-2	± 0,5 %	± 0,2 %
	Grosor Thickness - Épaisseur - Dicke - Толщина	EN-ISO 10545-2	± 5 %	± 3 %
	Rectitud de los lados Warpages of edges - Rectitude des côtés - Kantengeradheit - Выровненность бортов	EN-ISO 10545-2	± 0,5 %	± 0,2 %
	Ortogonalidad Wedging - Orthogonalité - Rechtwinkligkeit - Прямоугольность	EN-ISO 10545-2	± 0,5 %	± 0,2 %
	Planaridad Flatness - Planéité - Ebenflächigkeit - Плоскостность	EN-ISO 10545-2	± 0,5 %	± 0,5 %
Características físicas Physical characteristics Caractéristiques physiques Physikalische Eigenschaften Физические характеристики	Absorción al agua Water adsorption - Absorption d'eau - Wasseraufnahme - Влагопоглощение	EN-ISO 10545-3	≤ 0,5 %	≤ 0,5 %
	Fuerza de rotura Breaking strength - Force de rupture - Bruchkraft - Сила разрыва	EN-ISO 10545-4	≥ 1.300 N	≥ 3.000 N
	Resistencia a la flexión Bending strength - Résistance à la flexion - Biegefestigkeit - Сопротивление изгибу	EN-ISO 10545-4	≥ 35 N / mm ²	≥ 40 N / mm ²
	Resistencia a la abrasión profunda Resistance to deep abrasion - Résistance à l'abrasion profonde - Widerstandsfähigkeit gegen Tiefenabrieb - Сопротивление глубокому истиранию	EN-ISO 10545-6	≤ 175 mm ³	≤ 175 mm ³
	Resistencia a la abrasión Resistance to abrasion utility - Résistance à l'abrasion - Abriebfestigkeit - Сопротивление истиранию	EN-ISO 10545-7	Indicada por el fabricante As indicated by manufacturer Indiquée par le fabricant Herstellerangaben Указанное производителем	3 - 4
	Dilatación Térmica lineal Lineal thermal expansion - Dilatation thermique linéaire Lineare Wärmedehnung - Линейное тепловое расширение	EN-ISO 10545-8	Método disponible Method available Méthode disponible Verfügbares Verfahren Имеющаяся методика	≤ 9 x 10 ⁻⁶ K ⁻¹
	Resistencia al choque térmico Thermal shock resistance - Résistance au choc thermique - Beständigkeit gegen Temperaturschwankungen - Устойчивость к резким перепадам температуры	EN-ISO 10545-9	Método disponible Method available Méthode disponible Verfügbares Verfahren Имеющаяся методика	Resiste Resist - Résiste Beständig - Да
	Dureza Mohs Mohs surface hardness - Dureté Mohs - Härte auf der Mohs - Твердость по Моосу	EN 101	-	6 - 9
Resistencia a la helada Frost resistance - Résistance au gel - Frostbeständigkeit - Морозоустойчивость	EN-ISO 10545-12	Exigida - Required - Requis Erfordert - Требуемая	Resiste Resist - Résiste Beständig - Да	
Características químicas Chemical characteristics Caractéristiques chimiques Chemische Eigenschaften Химические характеристики	Resistencia a productos domésticos de limpieza y aditivos de piscina Resistance to household cleaning products and swimming pool additives Résistance aux produits ménagers de nettoyage et aux additifs pour piscines Beständigkeit gegen Haushaltsreiniger und Schwimmbadzusätze Устойчивость к воздействию бытовых чистящих средств и добавок для бассейна	EN-ISO 10545-13	Mín. GB - GB min. Min. GB - Min. GB мин. GB	Resiste (GA) - Resist (GA) - Résiste (GA) -Beständig (GA) - Да (GA)
	Resistencia a ácidos y bases en baja concentración Resistance to acids and bases in low concentration Résistance aux acides et bases à faibles concentrations Beständigkeit gegen Säuren und Laugen in geringer Konzentration Устойчивость к воздействию кислот и щелочей низкой концентрации	EN-ISO 10545-13	Indicada por el fabricante As indicated by manufacturer Indiquée par le fabricant Herstellerangaben Указанное производителем	Resiste (GLA) - Resist (GLA) - Résiste (GLA) -Beständig (GLA) - Да (GLA)
	Resistencia a las manchas Resistance to staining - Résistance aux taches - Fleckenbeständigkeit - Сопротивление пятнообразованию	EN-ISO 10545-14	Mín. Clase 3 - Class 3 min. Min. Classe 3 - Min. Klasse 3 мин. Класс 3	Clase 5 - Class 5 Classe 5 - Klasse 5 Класс 5

Consultar formato y acabado / Check formats and finishes. / Consulter format et finition. / Formate und Ausführung onultieren. / Проконсультируйтесь по поводу формата и отделки.

Estas características son aplicables únicamente al MAGMA de espesor tradicional. - These characteristics apply exclusively to the standard thickness MAGMA model.
Ces caractéristiques ne sont valables que pour le modèle MAGMA d'épaisseur traditionnelle. - Diese Merkmale gelten ausschließlich für das Model MAGMA mit herkömmlicher Dicke.
Эти характеристики применимы исключительно к модели MAGMA со стандартной толщиной

e-Ceramica

Contact us for wholesale prices or cooperation:

Zoran Milić

E-mail: info@e-ceramica.com

Mobile : + 386 41 684 696

Telephone : + 386 2 780 54 90

Fax : + 386 2 779 76 61

Merilly d.o.o. ; Vodnikova ulica 2 ; Si 2250 Ptuj ; Slovenia ; EU

Web : · Americas

[Ceramic tiles in Argentina](#)
[Ceramic tiles in Bahamas](#)
[Ceramic tiles in Bolivia](#)
[Ceramic tiles in Canada](#)
[Ceramic tiles in Chile](#)
[Ceramic tiles in Colombia](#)
[Ceramic tiles in Costa Rica](#)
[Ceramic tiles in Cuba](#)
[Ceramic tiles in Ecuador](#)
[Ceramic tiles in El Salvador](#)
[Ceramic tiles in Guatemala](#)
[Ceramic tiles in Honduras](#)
[Ceramic tiles in Jamaica](#)
[Ceramic tiles in México](#)
[Ceramic tiles in Nicaragua](#)
[Ceramic tiles in Panamá](#)
[Ceramic tiles in Paraguay](#)
[Ceramic tiles in Perú](#)
[Ceramics in Re. Dominicana](#)
[Ceramics in Trin. & Tobago](#)
[Ceramic tiles in Uruguay](#)
[Ceramic tiles in USA](#)
[Ceramic tiles in Venezuela](#)

· Europe

[Ceramic tiles in BIH](#)
[Ceramic tiles in Crna Gora](#)
[Ceramic tiles in España](#)
[Ceramic tiles in France](#)
[Ceramic tiles in Germany](#)
[Ceramic tiles in Hrvatska](#)
[Ceramic tiles in Ireland](#)
[Ceramic tiles in Kosove](#)
[Ceramic tiles in Liechtenstein](#)
[Ceramic tiles in Magyarország](#)
[Ceramic tiles in Македонија](#)
[Ceramic tiles in Maqedoni](#)
[Ceramic tiles in Malta](#)
[Ceramic tiles in Österreich](#)
[Ceramic tiles in Russia](#)
[Ceramic tiles in Schweiz](#)
[Ceramic tiles in Suisse](#)
[Ceramic tiles in Shqiperi](#)
[Ceramic tiles in Slovenija](#)
[Ceramic tiles in Србија](#)
[Ceramics in United Kingdom](#)

· Asia

[Ceramic tiles in India](#)
[Ceramic tiles in Pakistan](#)
[Ceramic tiles in Philippines](#)
[Ceramic tiles in Singapore](#)
[Ceramic tiles in Turkiye](#)

· Africa & Australia

[Ceramic tiles in Australia](#)
[Ceramic tiles in Cameroon](#)
[Ceramic tiles in Ghana](#)
[Ceramics in Guinea Ecuatorial](#)
[Ceramic tiles in Swaziland](#)
[Ceramic tiles in New Zealand](#)
[Ceramic tiles in Nigeria](#)